



Aerotecnica Sperandei

since 1978



ASGE GENERATORI DI CALORE - HEAT GENERATOR - GENERADORES CALOR




MODEL	ASGE3	ASGE6	ASGE9	ASGE12
Width B	650	730	810	930
Lenght A	1080	1230	1340	1820
Height C (no pipes)	1600	1780	1880	2100
Fuel	WOOD - CHIPS - PEAT			
Surface to be heat MC	550	1100	1650	3000
Weight Kg	200	260	320	380
Voltage	220V/50Hz Monof	220V/50Hz Monof	380V/50Hz 3ph	380V/50Hz 3ph
Chimmey pipe mm diam	160	180	200	200
Discar. pipe diam mm	2x200	2x250	2x250	2x250

ASGE GENERATORI DI CALORE - HEAT GENERATOR - GENERADORES CALOR



Portello di apertura focolare
Fireplace opening door
Puerta apertura focolar



Scambiatore fumi
Smoke exchanger
intercambiador humos



Raccolta ceneri
Ash collecting
Recolección cenizas

ASGE GENERATORI DI CALORE - HEAT GENERATOR - GENERADORES CALOR



WARM AIR GENERATOR WITH AUTOMATIC LOADING



Feeding Minisilo



Burner ASP



Feeding colcea.snauger



Electrofan for manage the flame

MODEL	ASGE15	ASGE18	ASGE21	ASGE24
Width B	1010	1090	1210	1290
Lenght A	1970	2080	2560	2710
Height C (without pipes)	2280	2380	2600	2780
Fuel	On request			
Surface to be heat MC	3550	4100	4650	5200
Weight Kg	440	500	560	620
Voltage	380V/50Hz 3ph	380V/50Hz 3ph	380V/50Hz 3ph	380V/50Hz 3ph
Chimmey pipe mm diam	200	200	200	200
Discarge pipes diam mm	2x300	2x300	3x300	3x300

MODEL	ASGE27	ASGE30	ASGE33	ASGE36
Width B	1370	1490	1570	1690
Lenght A	2820	3300	3450	3560
Height C (without pipes)	2880	3100	3280	3380
Fuel	On request			
Surface to be heat MC	5750	6300	6850	7400
Weight Kg	680	740	800	860
Voltage	380V/50Hz 3ph	380V/50Hz 3ph	380V/50Hz 3ph	380V/50Hz 3ph
Chimmey pipe mm diam	250	250	250	250
Discarge pipes diam mm	3x350	4x300	4x350	4x350

Higher Power on request

As noted with gas in the following conditions:

Gas temperature 15 ° C

Atmospheric pressure 1013 mbar.

Performance aeraulic declared not consider the losses of any generator accessories (filters, shutters, grilles aspiration, etc.).



WARM AIR GENERATOR 500.000 Kcal/h
Automatic loader system + Big Charlie burner for virgin wood wastes



AEROTECNICA SPERANDEI

All the prices described and all the technical features can be changed from the company Aerotecnica Sperandei at any time and without communication.

The 2012 Production Line stay open till December 2012 however Aerotecnica Sperandei reserves the right to stop it for any reason at any time.

This is just a brief presentation of production and the prices have to be accepted by the seller Aerotecnica Sperandei so please stay in contact with us before considering any order confirmed.

Our contacts are:



TEL +39 0721 202081



MAIL SALES@AEROTECNICASPERANDEI.IT



Aerotecnica Sperandei
S.S. Urbinate 40/1
61100 Pesaro Italia
T +39 0721 202081
F +39 0721 202527
www.aerotecnicasperandei.it